

## PUBLICATIONS

- [1] Essais de préparation des dialdéhydes de la pyridine  
G. Queguiner et P. Pastour  
C.R. Acad. Sci., 258, 5903 (1964).
- [2] Sur les polyaldéhydes de la pyridine  
G. Queguiner et P. Pastour  
C.R. Acad. Sci., 262, 1335 (1966).
- [3] Sur la diformyl-2,3 quinoléine ; synthèse de la pyridazino[4,5-d] quinoléine  
G. Queguiner, G. Joly et P. Pastour  
C.R. Acad. Sci., 263, 307 (1966).
- [4] Moments électriques et conformation de molécules : formylpyridines, benzoylpyridines et diformylpyridines  
Mme J. Barassin, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 12, 4707 (1967).
- [5] Sur les diformylpyridines N-oxydes  
G. Queguiner, M. Alas et P. Pastour  
C.R. Acad. Sci., 265, 824 (1967).
- [6] Sur les propriétés de la pyrido[2,3-d]pyridazine  
G. Queguiner et P. Pastour  
C.R. Acad. Sci., 266, 1459 (1968).
- [7] Actions du diazométhane sur les diformylpyridines  
M. Alas, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 267, 891 (1968).
- [8] Synthèse dans la série de la pyridine - I - Les diformylpyridines  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 10, 4117 (1968).
- [9] Synthèses dans la série de la pyridine - II - Les pyrido[2,3-d] et [3,4-d] pyridazines.  
Quelques propriétés de la pyrido[2,3-d]pyridazine  
G. Queguiner et P. Pastour  
C.R. Acad. Sci., 268, 1521 (1968).
- [10] Réduction sélective des pyridines dicarboxylates d'éthyle dissymétriques  
G. Queguiner et P. Pastour  
C.R. Acad. Sci., 268, 185 (1969).
- [11] Synthèses de formyldeutério formylpyridines, de leurs N-oxydes et de la deutério-5  
pyrido[2,3-d]pyridazine  
G. Queguiner, M. Alas et P. Pastour  
C.R. Acad. Sci., 268, 1531 (1969).

- [12] Synthèses dans la série de pyridine - II - Les pyrido[2,3-d] et [3,4-d] pyridazines  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 7, 2519 (1969).
- [13] Synthèse dans la série de la pyridine - III - Les diformylpyridines N-oxydes  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 10, 3665 (1969).
- [14] Synthèse dans la série de la pyridine - IV - Condensation des diformyl pyridines et de la triformyl-2,4,6 pyridine avec des amines aromatiques des hydrazines et d'autres composés à l'hydrogène mobile  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 10, 3659 (1969).
- [15] Synthèses dans la série de la pyridine - V - Etude de la réduction des pyridines dicarboxylates d'éthyle  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 10, 3678 (1969).
- [16] Synthèses dans la série de la pyridine - VI - Formyl deutéro formyl pyridines et N-oxydes correspondants  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 10, 3683 (1969).
- [17] Synthèses dans la série de la pyridine - VII - Action du diazométhane sur les diformylpyridines  
G. Queguiner et P. Pastour  
Bull. Soc. Chim., 11, 4082 (1969).
- [18] Synthèse de pyridotropolones et pyridométhoxytropones  
C. Fugier, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 269, 925 (1969).
- [19] Isomérisation photochimique et chimique des diformyl-2,3 et -3,4 pyridines et de la diformyl-2,3 quinoléine  
G. Queguiner et P. Pastour  
C.R. Acad. Sci., 269, 1646 (1969).
- [20] Sur les substitutions électrophiles du di(thiényl-2)-1,4 benzène  
P. Ribéreau et P. Pastour  
Bull. Soc. Chim., 6, 2076 (1969).
- [21] Sur les pyridotropolones  
G. Queguiner, C. Fugier et P. Pastour  
C.R. Acad. Sci., 270, 551 (1970).
- [22] Sur les hydroxy-6 et -8 oxo-7 cyclohepta[b] et les méthoxy-6 et -8 oxo-7 7H cyclohepta[b]pyridines (pyridotropolones et méthoxypyridotropones)  
G. Queguiner, C. Fugier et P. Pastour  
Bull. Soc. Chim., 10, 3696 (1970).

[23] Synthèse dans la série de la pyridine - VIII - Hydratation des diformyl pyridines et de leurs N-oxydes

G. Queguiner, M. Salaun et P. Pastour  
Bull. Soc. Chim., 10, 3690 (1970).

[24] Synthèses dans la série de la quinoléine - I - Accès aux séries de la pyridazino[4,5-d]quinoléine et de la pyrido[2,3-d : 6,5-d]dipyridazine

A. Godard, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 3, 906 (1971).

[25] Etudes des pyrido[2,3-b] et [3,4-b]pyrazines

D. Boutte, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 273, 1529 (1971).

[26] Etude des mono et dihydro pyrido[2,3-d] et [3,4-d]pyrazines et synthèse de la dioxo-1 tétrahydro-1,2,3,4 pyrido[2',3' : 5,6]pyrazine[2,3-d] pyridazine

D. Boutte, G. Queguiner et P. Pastour  
C.R. Acad. Sci, 273, 1645 (1971).

[27] Contribution à l'étude des pyridines-2,3 et 3,4 - I -

M. Mallet, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 274, 719 (1972).

[28] 72JHC165 Synthèse de la formyl-3 hydroxy-2 pyridine et de 2H-pyrano[2,3-d]pyridines one-2.

D. Bonnetaud, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 9, 165 (1972).

[29] Contribution à l'étude des pyridines - III -

M. Mallet, F. Marsais, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 275, 1439 (1972).

[30] Contribution à l'étude des pyridines - II -

F. Marsais, M. Mallet, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 275, 1535 (1972).

[31] Etude de la pyrido[3,4-d]pyridazine

A. Decormeille, G. Queguiner et P. Pastour  
C.R. Acad. Sci., 275, 1383 (1972).

[32] Synthèses et propriétés de quelques dérivés de la pyridazino[5,3-b] quinoléine

A. Godard, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 4, 1588 (1972).

[33] Etude de composés thiophéniques et benzéniques à trois noyaux

P. Ribéreau, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 4, 1581 (1972).

[34] Synthèse d'oximes, d'amides, de nitriles et d'amines thiophéniques et étude de l'isomérisation de quelques dérivés

J. Bourguignon, J.C. Delahaye, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 276, 871 (1973).

[35] 73TL3453 Synthèse de nouveaux hétérocycles pyrroliques à noyaux condensés

J. Duflos, D. Letouzé, G. Queguiner et P. Pastour  
Tetrahedron Lett., 36, 3453 (1973).

[36] Synthèse de formylpyridazines

A. Turck, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 277, 33 (1973).

[37] 73JHC1073 Synthèse de la pyrido[4,3-e]as-triazine

N. Plé, G. Queguiner et P. Pastour  
J. Heterocycl. Chem, 10, 1073 (1973).

[38] 73JHC1075 Synthèse de l'oxo-7 H cyclohepta[b]pyridine et de quelques dérivés

D. Letouzé, J. Duflos, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 10, 1075 (1973).

[39] 73JHC1077 Synthèse des pyrido[2,3-d] et [3,2-d]s- triazolo [3,4-f] pyrimidines et de (pyrazolyl-1')-4-pyrido[2,3-d] et [3,2-d]pyrimidines

L. Godefroy, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 10, 1077 (1973).

[40] 73JHC1079 Synthèse de la pyrido[2,3-f]phtalazine et des diformyl-6,7 ; -4,7 et -2,3 quinoléines

P. Duballet, A. Godard, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 10, 1079 (1973).

[41] 73JHC1081 Synthèse de pyridazino pyridazines

A. Turck, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 10, 1081 (1973).

[42] 73JHC1083 Synthèse du méthyl-1 diformyl-2,3 pyrrole, de la méthyl-1 pyrrolo [2,3-d] pyridazine et de la méthyl-1 pyrrolo[2,3-d]tropone

J. Duflos, D. Letouzé, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 10, 1083 (1973).

[43] Etude de la chloro-4 pyrido[2,3-d]pyrimidine et des hydrazino-4 pyrido[3,2-d] et [2,3-d]pyrimidines

L. Godefroy, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Ser. C, 277, 703 (1973).

[44] Etude de la pyrido[3,4-d]pyrimidine

B. Duchesnay, A. Decormeille, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Ser. C, 278, 427 (1974).

[45] Synthèse de la pyrido[2,3-d] et [3,4-d]s-triazolo[3,4-f]pyrimidine et de pyrido[2,3-d] et [3,2-d]tétrazolo[5,1-f]pyrimidines

L. Godefroy, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 278, 1421 (1974).

[46] Synthèse de naphthyridines-1,5 et -1,7

A. Decormeille, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 280, 381 (1975).

[47] 75BSC815 Synthèse de thiéno[2,3-d]pyrimidines substituées en 2 et 4 - I -

J. Bourguignon, E. Gougeon, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 3/4, 815 (1975).

[48] Synthèse de furylpyridines

P. Ribéreau, G. Nevers, G. Queguiner et P. Pastour  
C. R. Acad. Sci., Sér. C, 280, 293 (1975).

[49] 75BSC2483 Synthèse de thiéno[2,3-d]pyrimidines substituées en 2 et 4 II -

J. Bourguignon, M. Moreau, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 11/12, 2483 (1975).

[50] 75BSC2757 Synthèse de pyrido[3,4-d]s-triazolo[3,4-f]pyrimidines

A. Decormeille, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 11/12, 2757 (1975).

[51] 75BSC702 Etude de la méthylation et de l'acylation de la dihydroxy-1,4 pyrido [3,4-d]pyridazine

A. Decormeille, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 3/4, 702 (1975).

[52] Synthèse de pyridazino[4,5-c]quinoléines et de quelques dérivés

A. Godard, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 281, 941 (1975).

[53] Synthèses de thiénylpyrimidines et thiénylpyrazines

J. Bourguignon, J.M. Boucly, J.C. Clinet et G. Queguiner  
C.R. Acad. Sci., Ser. C, 281, 1019 (1975).

[54] 76JHC387 Synthèse de naphthyridines-1,7

A. Decormeille, F. Guignant, G. Queguiner et P. Pastour  
J. Heterocycl. Chem., 13, 387 (1976).

[55] 76BSC789 Synthèse de diformyl-4,6 ; -4,7 et -2,4 quinoléines

A. Godard, P. Duballet, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 5/6, 789 (1976).

[56] Synthèse dans la série des pyrido-as-triazines

N. Plé, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 283, 487 (1976).

- [57] 77BSC665 Etude des propriétés de la pyrido[3,4-d]pyridazine  
A. Decormeille, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 7/8, 665 (1977).
- [58] 77BSC682 Etude de réactions nucléophiles et électrophiles de la (thiényl-2)-2  
thiéno[2,3-d]pyrimidine  
J. Bourguignon, M. Moreau, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 7/8, 682 (1977).
- [59] Synthèses de benzo[f]naphthyridines-1,7 et de benzo[h]naphthyridines -1,6  
A. Godard, D. Brunet, G. Queguiner et P. Pastour  
C.R. Acad. Sci., Sér. C, 284, 459 (1977).
- [60] 77BSC919 Réduction, deutériation et quaternarisation de la pyrido[2,3-d]pyridazine  
D. Marchand, A. Turck, G. Queguiner et P. Pastour  
Bull. Soc. Chim., 9/10, 919 (1977).
- [61] 78JCR39 Synthèse d'un nouvel hétérocycle : benzo[1,2-n ; 4,5-c]dipyrrole. Ses  
réactions de Diels-Alder  
J. Duflos, G. Queguiner et P. Pastour  
J. Chem. Research, 39 (1978).
- [62] Photochemical behaviour of dipyrroles  
J. Kossanyi, S. Sabbah, G. Queguiner et J. Duflos  
J. of Photochemistry, 213, 282 (1978).
- [63] 79JCR46 Synthèse de diazaxanones : l'oxo-5 5H pyrano[2,3-b : 6,5-b']dipyridine et  
l'oxo-5 5H thiopyrano[2,3-b : 6,5-b']dipyridine  
F. Trécourt, J. Morel et G. Queguiner  
J. Chem. Research, 46 (1979).
- [64] 79JHC973 Réduction alkylante de quelques composés hétéroaromatiques polyazotés  
J.M. Cosmao, N. Collignon et G. Queguiner  
J. Heterocycl. Chem., 16, 973 (1979).
- [65] 79T1625 Nouvelles réactions d'halogénopyridines avec le n-butyllithium. Proposition  
d'un mécanisme par métallation et migration du brome  
M. Mallet et G. Queguiner  
Tetrahedron, 35, 1625 (1979).
- [66] 79JOM27 Métallation régiosélective de fluoroquinoléines  
F. Marsais, E. Bouley et G. Queguiner  
J. Organometallic Chem., 171, 27 (1979).
- [67] 80JHC257 Nouvelles synthèses de la thiéno[2,3-b]pyrazine  
J. Bourguignon, M. Lemarchand et G. Queguiner  
J. Heterocycl. Chem., 17, 257 (1980).

- [68] 80JHC93 Synthèse de nouveaux hétérocycles indoliques  
G. Dupas, J. Duflos et G. Queguiner  
J. Heterocycl. Chem., 17, 93 (1980).
- [69] 80JHC465 Sur les orthoamino formyl quinoléines. Nouveaux synthons hétérocycliques  
A. Godard et G. Queguiner  
J. Heterocycl. Chem., 17, 465 (1980).
- [70] 80JHC1019 Quelques réactions nucléophiles et électrophiles de la thiéno[2,3-b]pyrazine. Comparaison de sa réactivité avec celles de thiéno diazines et de la thiényl-2 pyrazine dans le cas de la nitration  
J. Bourguignon, M. Lemarchand et G. Queguiner  
J. Heterocycl. Chem., 17, 1019 (1980).
- [71] 80TL4485 6H-indolo[3,2-,]naphtyridines. Aza-analogues of ellipticines.  
F. Nivoliens, A. Godard et G. Queguiner  
Tetrahedron Lett., 21, 4485 (1980).
- [72] 81TL59 Synthesis of the first truly reactive polymer bound NADH models  
R. Mathis, G. Dupas, A. Decormeille et G. Queguiner  
Tetrahedron Lett., 22, 59 (1981).
- [73] 81JOC1195 An o-quinoid 10 pi-electron system  
J. Duflos et G. Queguiner  
J. Org. Chem., 46, 1195 (1981).
- [74] 81JHC425 Pyridazines : (thiényl-2)-3 pyridazines ; quelques (thiényl-2)<sub>3</sub> pyridazines substituées en 5 et systèmes à noyaux condensés dérivés.  
J. Bourguignon, C. Bécue et G. Queguiner  
J. Heterocycl. Chem., 18, 425 (1981).
- [75] 81JCR104 Synthèses et réactivité vis-à-vis des réactifs électrophiles d'arènes assemblés : les thiényl pyridazines  
J. Bourguignon, C. Bécue et G. Queguiner  
J. Chem. Research, 4, 104 (1981).
- [76] 81JOM139 Métallation régiosélective en série pyridinique : synthèse originale d'amino-2 aroyl-3 pyridines  
T. Gungor, F. Marsais et G. Queguiner  
J. Organometal. Chem., 215, 139 (1981).
- [77] 81JOC4754 Chemical and electrochemical reduction of pyrido-as-triazines.  
J. Armand, K. Chekir, N. Plé, G. Queguiner et M.P. Simonnin  
J. Org. Chem., 46, 4754 (1981).
- [78] 81JOM139 Etude des ortho-métallation régiosélective de la chloro-3 pyridine par des organolithiens et des amidures de lithium. Effet d'orientation par le solvant. Applications à la synthèse  
F. Marsais, P. Bréant, A. Ginguéné et G. Queguiner

J. Organometal. Chem., 216, 139 (1981).

[79] 81JOC4494 Synthesis and structural study of 2,5-dihydropyridines competitive metalation of 2-fluoropyridine

F. Marsais, P. Granger et G. Queguiner

J. Org. Chem., 46, 4494 (1981).

[80] 81TL4813 Selective reduction. Reaction of 3,4-dicarbomethoxyquinoline with lithium aluminium hydride. Steric effect.

A. Godard et G. Queguiner

Tetrahedron Lett. 22, 4813 (1981).

[81] 81JHC1465 Synthèse de l'amino-4 formyl-3 méthyl-6 pyridazine

A. Turck, J.F. Brument et G. Queguiner

J. Het. Chem., 18, 1465 (1981).

[82] 82S235 Regioselective ortho-lithiation of 3-alkoxypyridines : a convenient way to new ortho-disubstituted pyridines

F. Marsais, G. Le Nard et G. Queguiner

Synthesis, 3, 235 (1982).

[83] 82JCR76 Synthèse de xanthones et thioxanthones à deux noyaux hétéroaromatiques

F. Trécourt et G. Queguiner

J. Chem. Research, 3, 76 (1982).

[84] 82T3035 Réaction de bromo-3 pyridine avec le diisopropylamide de lithium. Mécanisme de métallation et de migration d'halogène régiosélective de l'addition polaire sur la pyridine-3,4

M. Mallet et G. Queguiner

Tetrahedron, 38, 3035 (1982).

[85] 82S449 Ortho-functionalization of aminopyridines. Regioselective lithiation of 3-pivalamido pyridine

T. Gungor, F. Marsais et G. Queguiner

Synthesis, 6, 449 (1982).

[86] 82T3043 Régiosélectivité de la réduction de tropones de la quinoxaline.

A. Turck, R. Boutte, A. Loupy et G. Queguiner

Tetrahedron, 38, 3043 (1982).

[87] 82JCR278 Synthèse régiosélective et applications d'un carbanion pyridinique -bromé. Ouverture du cycle pyridinique résultant d'une attaque nucléophile.

F. Marsais, B. Laperdrix, T. Gungor, M. Mallet et G. Queguiner

J. Chem. Research, 10, 278 (1982).

[88] 82CJC2785 Régiosélectivité de l'hydrogénation catalytique de quelques pyrido [2,3-b]pyrazines

J.M. Cosmao, N. Collignon et G. Queguiner

Can. J. Chem., 60, 2785 (1982).

- [89] 82TL5141 Reductions with polymer-bound NADH models  
G. Dupas, J. Bourguignon, C. Ruffin et G. Queguiner  
Tetrahedron Lett., 23, 5141 (1982).
- [90] 82CJC2668 Etude de la réactivité des thiényldiazines : nitration et RMN de<sup>13</sup>C dans H<sub>2</sub>SO<sub>4</sub> concentré  
J. Bourguignon, S. Chapelle, P. Granger et G. Queguiner  
Can. J. Chem., 60, 2668 (1982).
- [91] 82JHC1289 Synthesis of benzonaphthyridines  
A. Godard et G. Queguiner  
J. Heterocycl. Chem., 19, 1289 (1982).
- [92] 83T2009 Review on the metalation of pi-deficient heteroaromatic compounds. Regioselective ortho-lithiation of 3-fluoropyridine : directing effects and application to synthesis of 2,3-disubstituted pyridines  
F. Marsais et G. Queguiner  
Tetrahedron, 39, 2009 (1983).
- [93] 83JHC101 Synthesis of pyrido[3,2-c]pyridazines  
A. Turck, J.F. Brument et G. Queguiner  
J. Heterocycl. Chem., 20, 101 (1983).
- [94] Synthesis and physical properties of the six furylpyridines.  
P. Ribéreau et G. Queguiner  
Can. J. Chem., 61, 334 (1983).
- [95] 83JHC967 Synthèses d'hétérocycles indoliques à partir de dérivés carbonylés de l'indole et du pyrrole  
G. Dupas, J. Duflos et G. Queguiner  
J. Heterocycl. Chem., 20, 967 (1983).
- [96] 83JHC1191 Synthèses de nouveaux hétérocycles pyrroliques : des thiépino [4,5-c] et [4,5-b]pyrroles  
J. Duflos, G. Dupas et G. Queguiner  
J. Heterocycl. Chem., 20, 1191 (1983).
- [97] 83S822 Regioselective lithiation of 3-pyridylsulfonic acid derivatives  
P. Bréant, F. Marsais et G. Queguiner  
Synthesis, 10, 822 (1983).
- [98] 83CJX1806 Régiosélectivité d'additions de nucléophiles sur des dialkoxy carbonyle quinoxalinotropones  
A. Turck, R. Boutte et G. Queguiner  
Can. J. Chem., 61, 1806 (1983).
- [99] 83T3593 Effets du solvant et du complexant sur la régiosélectivité de la métallation. Cas de la (furyl-2)-2 pyridine  
P. Ribéreau et G. Queguiner  
Tetrahedron, 39, 3593 (1983).

- [100] 84JHC49 Synthèses de la benzo[b][1,4]diazocino[7,6-f]indole, de pyrrolo[f]phtalazines et réactions de cycloadditions  
J. Duflos et G. Queguiner  
J. Heterocyclo. Chem., 21, 49 (1984).
- [101] 84JHC27 Polyazaphénanthrènes. Synthèse de pyridazino[4,5-c]quinoléines  
A. Godard et G. Queguiner  
J. Heterocycl. Chem., 21, 27 (1984).
- [102] 84T2107 Effets du solvant et du complexant sur le contrôle cinétique et thermodynamique de la métallation. Cas de la diméthyl-4,4 (thiényl-2)-2 oxazoline.  
P. Ribéreau et G. Queguiner  
Tetrahedron, 40, 2107 (1984).
- [103] 85T3433 Action du n-butyllithium sur les bromo-3 halogéno-2 pyridines fluorée, chlorée et bromée. Principe et étude d'une possibilité réactionnelle nouvelle : l'homotransmétallation.  
M. Mallet et G. Queguiner  
Tetrahedron, 41, 3433 (1985)
- [104] 85CJC2354 Synthèse d'aryl nitronorbornènes par cycloaddition de Diels-Alder entre les aryl-nitroéthylènes et le cyclopentadiène.  
Justification de la stéréochimie et de la réactivité relative observées par la méthode CNDO/II.  
Obtention d'aryl aminonorbornènes.  
J. Bourguignon, G. Le Nard et G. Queguiner  
Can. J. Chem., 63, 2354 (1985).
- [105] 85CJC3303 Réaction de l'acétylène dicarboxylate d'éthyle avec l'oxo-6 (2H) cyclohepta (c) pyrrole ; mécanismes de formation des adduits.  
J. Duflos et G. Queguiner  
Tetrahedron, 41, 3303 (1985).
- [106] 85CJC3210 Preparation, structure, and conformation in solution of diacetyl derivatives of 6,7-dimethyl-1,4-dihydroquinoxaline and of dihydropyridotriazines.  
J. Armand, L. Boularès, M.P. Simonnin, C. Bellec, O. Convert, N. Plé and G. Queguiner  
Can. J. Chem. 63, 3210 (1985)
- [107] 86T2253 Homotransmetallation des halogéno-3 pyridines bromées en -2 ou -4 par le n-butyllithium. Proposition d'un nouveau mécanisme de télésustitution du brome.  
M. Mallet et G. Queguiner  
Tetrahedron, 42, 2253 (1986)
- [108] 86S670 Lithiation of 2-amino quinoline derivatives.  
J.M. Jacquelin, A. Godard, F. Marsais et G. Queguiner  
Synthesis, 8, 670 (1986).
- [109] 86TL2357 Reduction with N-benzyl-1,4 dihydronicotinamide. A reinvestigation.  
P. Tintillier, G. Dupas, J. Bourguignon et G. Queguiner  
Tetrahedron Lett., 27, 2357 (1986).

- [110] 86TL2375 Biomimetic reduction with non water-sensitive NADH models.  
J. Cazin, G. Dupas, J. Bourguignon et G. Queguiner  
Tetrahedron Lett., 27, 2375 (1986).
- [111] A new support for anchorage of 1,4-dihydronicotinamide.  
P. Tintillier, G. Dupas, J. Bourguignon et G. Queguiner  
Polym. Bull., 16, 331 (1986).
- [112] 86BSC Reduction of nitrostyrenes to nitroalkanes with a NADH grafted model.  
T. Tréfouel, P. Tintillier, G. Dupas, J. Bourguignon and G. Queguiner  
Bull. Chem. Soc. Jap., (1986).
- [113] 87CJC648 Nouveaux modèles du NADH en série oxazolyl-3 dihydro-1,4 pyridine :  
Synthèse, réactivité, rôle de la complexation dans la réactivité.  
P. Binay, G. Dupas, J. Bourguignon et G. Queguiner  
Can. J. Chem., 65, 648 (1987).
- [114] 87JOM1133 Regioselective fonctionnalization of pyridylsulfonic acids : ortho-  
lithiation of tertiary 2- and 4- pyridylsulfonamides.  
F. Marsais, A. Cronnier, F. Trécourt et G. Queguiner  
J. Org. Chem., 52 1133 (1987).
- [115] 87JOM1487 Unexpected course of the reaction of aromatic aldehydes on lithiated  
N,N-dimethyl O-(3-quinolyl) carbamate.  
Y. Robin, A. Godard et G. Queguiner  
J. Heterocycl. Chem., 24,1487 (1987).
- [116] 87S1124 Facile synthesis of annelated NADH models precursors.  
R. Benoit, G. Dupas, J. Bourguignon et G. Queguiner  
Synthesis, 12, 1124 (1987).
- [117] 87JOM336 Etude de la métallation des carbamates d'hydroxy-5 -6,-7 et -8 quinoléine.  
A. Godard, Y. Robin et G. Queguiner  
J. Organometal Chem., 1, 336 (1987).
- [118] 88CJC1135 Etude de la métallation des carbamates d'hydroxy-2,3,4 quinoléines.  
J. M. Jacquelin, Y. Robin, A. Godard et G. Queguiner  
Can. J. Chem., 66, 1135 (1988).
- [119] 88JHC81 Directed lithiation of 4-Halopyridines : chemoselectivity, regioselectivity  
and application to synthesis.  
F. Marsais, F. Trécourt, P. Bréant et G. Queguiner  
J. Heterocycl. Chem., 25, 81 (1988).
- [120] 88JHC1053 A new synthesis of 2,3-dihydrofuro[2,3-b], [2,3-c] and [3,2-c]  
quinoleines.  
A. Godard, J. M. Jacquelin et G. Queguiner  
J. Heterocycl. Chem., 25, 1053 (1988).

- [121] 88JOC1367 Catalyzed metallation applied to 2-methoxypyridine.  
F. Trécourt, M. Mallet, F. Marsais and G. Queguiner  
J. Org. Chem., 53, 1367 (1988)
- [122] 88JOC2740 Metalation/SNR1 coupling in heterocyclic synthesis. A convenient methodology for ring functionalization.  
L. Estel, F. Marsais et G. Queguiner  
J. Org. Chem., 53, 2740 (1988).
- [123] 88JOM273 Etude de la métallation des pivalamido-2, -3 et -4 quinoléines.  
A. Godard, J. M. Jacquelin et G. Queguiner  
J. Organometal. Chem., 354, 273 (1988).
- [124] 88S881 A new route to 2,3-disubstituted pyrazines; regioselective metalation of chloropyrazine.  
A. Turck, L. Mojovic et G. Queguiner  
Synthesis, 11, 881 (1988).
- [125] 88T1079 Synthesis, complexation study and reactivity of annelated thiophenic NADH models.  
J. Cazin, T. Tréfouel, G. Dupas, J. Bourguignon et G. Queguiner  
Tetrahedron, 44, 1079 (1988).
- [126] 88TL931 Inversion in the enantioselectivity of reductions performed with NADH models bearing the same chiral auxiliary.  
P. Binay, G. Dupas, J. Bourguignon and G. Queguiner  
Tetrahedron Lett., 29, 931 (1988).
- [127] 89BSC264 Greffage d'un modèle de NADH sur silice : étude de la réactivité et utilisation en synthèse asymétrique.  
J. Bourguignon, P. Tintillier, T. Tréfouel, D. Losset, G. Dupas et G. Queguiner  
Bull. Soc. Chim. Fr. (2), 264 (1989)
- [128] 89JCS867 Improvement in the enantioselectivity of the hydrogen transfer with NADH models bearing aminoalcohols as chiral auxiliary.  
J. Cazin, J. Duflos, G. Dupas, J. Bourguignon et G. Queguiner  
J. Chem. Soc. Perkin Trans. I, 867 (1989)
- [129] 89JHC105 Synthesis of ortho-substituted aminopyridines. Metalation of pivaloylamino derivatives.  
L. Estel, F. Linard, F. Marsais, A. Godard et G. Queguiner  
J. Heterocycl. Chem., 26, 105 (1989)
- [130] 89JHC475 Synthesis and spectral data of pyrido[2,3-e]as-triazine.  
N. Plé et G. Queguiner  
J. Heterocycl. Chem., 26, 475 (1989)
- [131] 89JHC1029 Synthèse et étude de modèles de NADH à noyaux accolés en série pyrrolo[2,3-b] et [3,2-b]pyridine.  
M.O. Monnet, T. Fauret, V. Levacher, G. Dupas, J. Bourguignon et G. Queguiner

J. Heterocycl. Chem., 26, 1029 (1989)

[132] 89JHC1589 Directed ortho-lithiation of chloroquinoline. Application to synthesis of 2,3-disubstituted quinolines.

F. Marsais, A. Godard et G. Queguiner  
J. Heterocycl. Chem., 26, 1589 (1989)

[133] 89JHC1595 Synthesis and study of chiral NADH models in the thieno[2,3-b]pyridine series

R. Benoît, J. Duflos, G. Dupas, J. Bourguignon et G. Queguiner  
J. Heterocycl. Chem., 26, 595 (1989)

[134] 89M649 Asymmetric reductions with chiral NADH models grafted on a Merrifield resin.

D. Losset, G. Dupas, J. Bourguignon et G. Queguiner  
Polymer Bulletin, 21, 649 (1989)

[135] 89NJC255 Greffage sur silice : obtention d'un réactif modèle du NADH réellement efficace en synthèse.

G. Dupas, P. Tintillier, T. Tréfouel, J. Cazin, D. Losset, J. Bourguignon et G. Queguiner  
New. J. Chem., 13, 255 (1989)

[136] 89T2579 Optimization of the reaction conditions using a NADH model grafted on a Merrifield type resin.

G. Dupas, A. Decormeille, J. Bourguignon et G. Queguiner  
Tetrahedron, 45, 2579 (1989)

[137] 90JCS1611 Sulphur-based directed benzylic metalations : lithiation of alkylarene sulphonates.

B.I. Alo, O.B. Familoni, F. Marsais and G. Queguiner  
J. Chem. Soc. Perkin Trans. I, 1611 (1990)

[138] 90JCS2409 Improved synthesis of 2,3-disubstituted pyridines by metalation of 2-chloropyridine : a convenient way to fused polyheterocycles.

F. Trécourt, F. Marsais, T. Gungor et G. Queguiner  
J. Chem. Soc. Perkin Trans. I, 2409 (1990)

[139] 90JCS2611 Synthesis of 3-amino-4 phenyl pyridines. A novel strategy for the preparation of CD ring models of streptonigrin.

F. Marsais, J.C. Rovera, A. Turck, A. Godard et G. Queguiner  
J. Chem. Soc. Perkin Trans. I, 2611 (1990)

[140] 90JHC1377 Metallation of diazines II. First metallation of pyridazine, metallation of 2,4-dichloropyrimidime

A. Turck, N. Plé, L. Mojovic et G. Queguiner  
J. Heterocycl. Chem., 27, 1377 (1990)

[141] 90JOM319 Migration du lithium en série pyridinique : double catalyse et reformage. Accès aux dérivés de la bromo-2 lithio-3 pyridine et des bromo-4 halogéno-2 lithio-3 pyridines.

M. Mallet, G. Branger, F. Marsais et G. Queguiner  
J. Organometal. Chem., 382, 319 (1990)

[142] 91BCF721 Induction supramoléculaire par un réactif modèle du NADH greffé sur silice.

D. Losset, G. Dupas, J. Duflos, J. Bourguignon et G. Queguiner  
Bull. Soc. Chim. Fr., 128, 721 (1991)

[143] 91CL125 Asymmetric reduction with freely and non freely rotating amide group NADH models.

Y. Combret, J. J Torche, P. Binay, G. Dupas, J. Bourguignon et G. Queguiner  
Chem. Lett., 125 (1991)

[144] 91JHC283 Metalation of diazine III. New synthesis of analogues of trimethoprim and of bacimethrin.

N. Plé, A. Turck, E. Fiquet et G. Queguiner  
J. Heterocycl. Chem., 28, 283 (1991)

[145] 91JOM49 Le phényl-lithium : nouvel agent de métallation du cycle pyridinique.

M. Mallet  
J. Organometal. Chem., 406, 49, (1991)

[146] 91JOM301 Diazine IV. Metalation of diazine IV. Lithiation of symdisubstituted pyrazines.

A. Turck, D. Trohay, L. Mojovic, N. Plé et G. Queguiner  
J. Organomet. Chem., 412, 301, (1991)

[147] 91T429 Broadening in the scope of NADH models by using chiral and non chiral pyrrolo[2,3-b]pyridine derivatives.

V. Levacher, R. Benoît, J. Duflos, G. Dupas, J. Bourguignon et G. Queguiner  
Tetrahedron 47, 429 (1991)

[148] 91T9369 Stereoselectivity of hydrogen transfer with chiral NADH models as a function of configuration and conformation.

Y. Combret, J. J. Torché, N. Plé, J. Duflos, G. Dupas, J. Bourguignon et G. Queguiner.  
Tetrahedron, 47, 9369 (1991)

[149] 92CJC2828 Additions covalentes de nucléophiles sur les pyrido-as-triazines.

N. Plé, A. Turck, G. Queguiner.  
Can. Journal Chemistry 70, 2828 (1992)

[150] 92JHC467 Metalation of Diazines V. Synthesis of Analogues of Biologically Active Molecules.

N. Plé, A. Turck, F. Bardin and G. Queguiner.  
J. Het. Chem., 29, 467 (1992)

[151] 92JHC699 Metalation of Diazines VI. Metalation of Pivaloylaminopyrazine and N-t-Butylpyrazinamide.

A. Turck, B. N'Dzi, N. Plé and G. Queguiner.  
J. Het. Chem., 29, 699 (1992)

- [152] 92JN1933 Investigation about a direct Neurotensin-Dopamine interaction by N.M.R. Study, Synaptosomal uptake of Dopamine and binding of Neurotensin to its receptors. D. Nouel, J. Costentin, D. Lugin, P. Kitabgi, N. Plé and D. Davoust. *Journal of Neurochemistry*, 59, 1933 (1992)
- [153] 92JOC565 A new convergent route to 1-substituted Ellipticines. F. Marsais, Ph. Pineau, F. Nivoliers, M. Mallet, A. Turck, A. Godard and G. Queguiner. *J. Org Chem*, 57, 565 (1992)
- [154] 92PSS127 Synthesis and behavior of NADH models bearing a chiral sulfoxide. N. Boussad, T. Trefouel, G. Dupas, J. Bourguignon et G. Queguiner. *Phosphorus, Sulfur and Silicon*, 66, 127 (1992)
- [155] 92T831 Synthesis of annelated NADH models in Benzothieno [2,3-b]pyridine and Pyrido[2,3-b]indole series. V. Levacher, N. Boussad, G. Dupas, J. Bourguignon and G. Queguiner. *Tetrahedron*, 48, 831 (1992)
- [156] 92T4123 Convergent synthesis of the streptonigrin alkaloid skeleton. Directed orthometalation connection to aryl-aryl cross-coupling. A. Godard, J. C. Rovera, F. Marsais, N. Plé et G. Queguiner. *Tetrahedron*, 48, 4123 (1992).
- [157] 92TL1611 Study of the reduction of enamides with an NADH model. C. Leroy, V. Levacher, G. Dupas, J. Bourguignon and G. Queguiner. *Tetrahedron Lett.*, 33, 1611 (1992)
- [158] 92TL7355 Metalation of pi-deficient heterocycles. A facile synthesis of cerpegin. F. Guillier, F. Nivoliers, J. Bourguignon, G. Dupas, F. Marsais, A. Godard and G. Queguiner. *Tetrahedron Lett.*, 33, 7355 (1992)
- [159] 93T49 Connection between metalation and cross-coupling strategies. A new convergent route to azacarbazoles. P. Rocca, F. Marsais, A. Godard and G. Queguiner. *Tetrahedron*, 49, 49 (1993).
- [160] 93TL1605 Metalation of Diazines VIII. Metalation of 4-Chloropyrimidine Derivatives. New synthesis of Trimethoprim. N. Plé, A. Turck, P. Martin, S. Barbey and G. Queguiner *Tetrahedron Lett.*, 34, 1605 (1993)
- [161] 93T3325 A new convergent synthesis of alpha-substituted-beta-carbolines. P. Rocca, F. Marsais, A. Godard and G. Queguiner. *Tetrahedron*, 49, 16, 3325-3342 (1993)
- [162] 93TL2937 A new approach to the synthesis of lavendamycin analogues. P. Rocca, F. Marsais, A. Godard and G. Queguiner. *Tetrahedron Lett.*, 34, 2937 (1993)

- [163] 93T5237 An approach to features responsible for the obtention of high e.e. with a highly enantioselective NADH model.  
Y. Combret, J. Duflos, G. Dupas, J. Bourguignon and G. Queguiner.  
Tetrahedron, 49, 5237 (1993)
- [164] 93LAC583 First metalation of 1,2,4-Triazine derivatives.  
N.Plé, A.Turck, G.Queguiner, B.Glassl, H.Neunhoeffler.  
Liebigs Ann.Chem., 6, 583 (1993)
- [165] 93T599 On the metalation of 3-substituted and 3,6-disubstituted pyridazines.  
A.Turck, N.Plé, B.Ndzi, G.Queguiner, N.Haider, H.Schuller and G.Heinisch.  
Tetrahedron, 49, 599 (1993)
- [166] 93TA1635 Variations of the nature of the chiral auxiliary with a highly enantioselective chiral NADH model.  
Y.Combret, J.Duflos, G.Dupas, J.Bourguignon and G.Queguiner.  
Tetrahedron Asymmetry, 4, 1635 (1993)
- [167] 93T5831 Synthesis of chiral NADH model compounds in the pyrrolo[3,2-b]pyridine series : models with a chiral group on the pyrrole nitrogen or on the carboxamide side chain.  
M.O.Monnet, P.Prévoist, G.Dupas, J.Bourguignon and G.Queguiner.  
Tetrahedron, 49, 5831 (1993)
- [168] 93T8373 New synthesis of Orelline by metalation of methoxypyridines.  
F. Trécourt, M. Mallet, O. Mongin, B. Gervais and G. Queguiner.  
Tetrahedron, 49, 8373 (1993)
- [169] 93TA1879 Synthesis of new chiral auxiliaries derived from isosorbide.  
R.Tamion, F.Marsais, P.Ribereau and G.Queguiner.  
Tetrahedron Asymetry, 4, 1879 (1993)
- [170] 93JOC7832 First metalation of aryl iodides : directed ortho-lithiation of iodopyridines, halogen-dance and application to synthesis.  
P. Rocca, C. Cochenec, F. Marsais, L. Thomas-dit-Dumont, M. Mallet, A. Godard and G. Queguiner.  
J.Org.Chem., 58, 7832 (1993).
- [171] 93BSC488 Diazines VII. Nouvelle voie de synthèse d'un antidépresseur en série pyridazinique, la minaprine, utilisant les réactions de métallation ortho dirigée et de couplage croisé de Suzuki.  
A. Turck, N. Plé, L. Mojovic and G. Queguiner.  
Bull.Soc.Chim., 130, 488 (1993)
- [172] 93A313 Dosage de l'acétaldéhyde et du formaldéhyde dans le poly (téréphtalate d'éthylène glycol) (PET) par chromatographie en phase liquide.  
J. Duflos, C. Leroy, B. Gervais, G. Dupas, J. Bourguignon and G. Queguiner.  
Analysis, 21, 313 (1993)
- [173] 93JHC1085 Synthesis of New 4-Quinolone-type compounds in the benzo[b] thiophene series.

- B. Février, G. Dupas, J. Bourguignon and G. Queguiner.  
J.Het.Chem., 30, 1085 (1993)
- [174] 93TL7917 A short synthesis of the antimicrobial marine sponge pigment fascaplysin.  
P. Rocca, F. Marsais, A. Godard and G. Queguiner.  
Tetrahedron Lett., 34, 7917 (1993)
- [175] 93TA2415 Asymmetric synthesis with new chiral auxiliaries derived from isosorbide.  
R. Tamion, F. Marsais, P. Ribéreau and G. Queguiner.  
Tetrahedron Asymmetry, 4, 2415 (1993)
- [176] 93TL7919 Convergent synthesis of streptonigrin and lavendamycin analogues.  
A. Godard, P. Rocca, J-M. Fourquez, J-C. Rovera, F. Marsais and G. Queguiner.  
Tetrahedron Letters, 34, 7919 (1993)
- [177] 93JHC1491 Diazines IX. Metalation of 2-Chloro, 2-Methoxy and 2-pivaloylaminoquinoxaline.  
A. Turck, N. Plé, V. Tallon and G. Queguiner.  
J.Het.Chem., 30, 1491 (1993)
- [178] 94TL2003 A convenient synthesis of 6-hydroxyharman.  
P. Rocca, F. Marsais, A. Godard and G. Queguiner.  
Tetrahedron Lett., 35, 2003 (1994)
- [179] 94SYN235 New synthesis of the streptonigrin quinoline-5,8-quinone moiety and aromatic cross-coupling.  
A. Godard, J.M. Fourquez, R. Tamion, F. Marsais and G. Queguiner.  
Synlett, 235 (1994)
- [180] 94TL4099 Study of the lithiation of 3-substituted  $\alpha$ -carboline. A new route to 3,4-disubstituted derivatives.  
C. Papamicaël, G. Dupas, J. Bourguignon and G. Queguiner.  
Tetrahedron Lett., 35, 4099 (1994)
- [181] 94JH2149 Metalation of diazines.  
A. Turck, N. Plé and G. Queguiner.  
Heterocycles 37, 2149 (1994)
- [182] 94TL6489 An original one-pot synthesis of 5-(4-pyridyl)-benzo[c]-2,7-naphthyridine as key. Intermediate in the synthesis of amphimedine by metalation connected with cross-coupling reaction.  
F. Guillier, F. Nivoliers, A. Godard, F. Marsais and G. Queguiner.  
Tetrahedron Lett., 35, 6489 (1994)
- [183] 94TL6283 Side chain metalation of (5-substituted-2-furyl)oxazolines.  
J.Y. Lenoir, P. Ribéreau and G. Queguiner.  
Tetrahedron Lett., 35, 6283 (1994)
- [184] 94T10299 Metalation of diazines X. First halogen migration during metalation of pyrimidines unusual halogen-lithium exchange with LTMP. New synthesis of leshmaniacides.

N. Plé, A. Turck, K. Couture and G. Queguiner.  
Tetrahedron, 50, 10299 (1994)

[185] 94BSC632 Behavior and extension of the scope of NADH models to the reduction of non-activated ketones by a stable indolo NADH model compound in the presence of Lewis acids.

R. Berkous, G. Dupas, J. Bourguignon and G. Queguiner.  
Bull.Soc.Chim., 131, 632 (1994)

[186] 94CR255 Selective alkylations of 1,4 : 3,6-dianhydro-D-glucitol (isosorbide).

D. Abenhaïm, A. Loupy, L. Munnier, R. Tamion, F. Marsais and G. Queguiner.  
Carbohydrate Research, 261, 255 (1994)

[187] 94JCS2943 Regiospecific metallation of furyl-4,5-dihydrooxazoles : preparation of 2,5-disubstituted and 2,3,5-trisubstituted furans.

J.Y. Lenoir, P. Ribéreau and G. Queguiner.  
J. Chem. Soc. Perkin Trans, 2943 (1994)

[188] 94SC2697 One pot synthesis of pyrrolo[2,3-b]pyridine derivatives.

V. Levacher, C. Leroy, G. Dupas, J. Bourguignon and G. Queguiner.  
Synthetic Communications, 24, 2697 (1994)

[189] 94T13135 Reduction of new substrates with a NADH model. Reduction of N-acyl-enamines : mechanism and scope.

C. Leroy, G. Dupas, J. Bourguignon and G. Queguiner.  
Tetrahedron, 50, 13135 (1994)

[190] 94JOC6173 Total synthesis of Atpenin B. An original "clockwise" functionalization of 2-chloropyridine.

F. Trécourt, M. Mallet, O. Mongin and G. Queguiner  
J.Org.Chem., 59, 6173 (1994)

[191] 94JHC1311 Metalation of diazines XI. Directed ortho-lithiation of fluoropyrimidines and application to synthesis of an azacarboline.

N. Plé, A. Turck, A. Heynderickx and G. Queguiner  
J.Het. Chem., 31, 1311 (1994)

[192] 94JHC1449 A new route to arglecin by metalation and cross coupling of pyrazines. Metalation of diazines XII.

A. Turck, N. Plé, D. Dognon, C. Harmoy and G. Queguiner  
J.Het. Chem., 31, 1449 (1994)

[193] 94H405 Chiral NADH models derived from optically active amino alcohols.

G. Dupas, V. Levacher, J. Bourguignon and G. Queguiner  
Heterocycles, 39, 405 (1994)

[194] 95JOC292 Combined metalation - palladium-catalyzed cross coupling strategies. A formal synthesis of the marine alkaloid amphimedine.

F. Guillier, F. Nivoliers, A. Godard, F. Marsais, G. Queguiner, M.A. Siddiqui and V.Snieckus  
J.Org.Chem., 60, 292 (1995)

- [195] 95T3247 Synthesis of new substituted quinolizidines as potential. Inhibitors of ergosterol biosynthesis.  
A. Godard, P. Lamour, P. Ribereau and G. Queguiner  
Tetrahedron, 51, 3247 (1995)
- [196] 95S321 Metalation of aryl iodides, part II : directed ortho-lithiation of 3-iodo-N,N-diisopropyl-2-pyridinecarboxamide : halogen-dance and synthesis of an acyclic analogue of meridine.  
C. Cochenec, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Synthesis, 321 (1995)
- [197] 95TL2761 Base induced ring opening of a sugar derivative O-carbamate.  
R. Tamion, F. Marsais and G. Queguiner  
Tetrahedron Letters, 36, 2761 (1995)
- [198] 95JCS979 Nucleophilic addition of lithio derivatives to 1-substituted-benzo[c][2,7]naphthyridines (2,9-diazaphenanthrenes).  
C. Cochenec, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
J.Chem.Soc.Perkin Trans. 1, 979 (1995).
- [199] 95TA923 Study of the mechanism of the hydride transfer with a highly reactive and stereoselective NADH model.  
J. Bédard, N. Plé, G. Dupas, J. Bourguignon and G. Queguiner  
Tetrahedron Asymmetry, 6, 923 (1995).
- [200] 95JOC3781 Metalation without ortho-directing group functionalization of diazines via direct metalation. Metalation of diazines XIII.  
N. Plé, A. Turck, K. Couture and G. Queguiner.  
J.Org.Chem. 60, n°12, 3781 (1995).
- [201] 95JHC1057 A new route to 5,6-diarylpyridiazin-3-ones by metalation and cross coupling of pyridazines.  
F. Trécourt, A. Turck, N. Plé, A. Paris and G. Queguiner  
J. Heterocycl. Chem 32, 1057 (1995).
- [202] 95JHC1117 First synthesis of (+) harzianopyridone by metalation of polysubstituted o-pyridylcarbamates.  
F. Trécourt, M. Mallet, O. Mongin and G. Queguiner  
J. Hétérocycl. Chem. 32, 1117 (1995).
- [203] 95JHC1261 Synthesis of 7H-pyrido[2,3-c] carbazoles from 5-bromo-8-methoxyquinolines via coupling and azide cyclization reactions.  
F. Trécourt, F. Mongin, M. Mallet and G. Queguiner  
J. Heterocycl. Chem. 32, 26 (1995).
- [204] 95S1159 Synthesis of substituted 8-methoxyquinolines from corresponding halogeno derivatives. Regioselective bromine-lithium exchange on 5,7-dibromo-8-methoxyquinoline.  
F. Trécourt, M. Mallet, F. Mongin and G. Queguiner  
Synthesis (1995), n°9, 1159-1162.

- [205] 95JCS2503 Metallation of pyridine N-oxides and applications to synthesis.  
O. Mongin, P. Rocca, L. Thomas-dit-Dumont; F. Trécourt, F. Marsais and G. Queguiner  
J. Chem. Soc. Perkin Trans I, (1995), 2503-2508.
- [206] 95SC4024 Substituted 8-methoxyquinolines : regioselective bromination, coupling reactions and cyclization to an 11H-indolol [3,2-c] quinoline.  
F. Trécourt, F. Mongin, M. Mallet and G. Queguiner  
Synth. Commun., 25 (24), 4011-4024 (1995).
- [207] 95TL8415 Bromine-lithium exchange on bromo-8-hydroxyquinolines via formation of their sodium salts.  
F. Mongin, J.M. Fourquez, S. Rault, V. Levacher, A. Godard, F. Trécourt and G. Queguiner  
Tetrahedron Letters, (1995), vol. 36, n°46, 8415-8418.
- [208] 95JOC First synthesis of Caerulomycin C.  
F. Trécourt, B. Gervais, M. Mallet and G. Queguiner  
J. Organic Chem., 61 [5], 1673-1676 [1995].
- [209] 95TH11743 Synthesis of 11H-pyrido[2,3-a] carbazoles and 6H-pyrido [3,2-b] carbazoles from 8-methoxy bromoquinolines.  
F. Trécourt, M. Mallet, F. Mongin and G. Queguiner  
Tetrahedron, 51, n°43, 11743-11750 (1995).
- [210] 95JHC1165 Regioselectivity of the metalation of polymethoxylated pivaloylamino-benzenes. Synthesis of methoxy-2 (1H)-quinolones. Precursors of 2-substituted-5,8-quinolinediones.  
J.M. Fourquez, A. Godard, F. Marsais and G. Queguiner  
J. Heterocycl. Chem. 32, 1165 (1995).
- [211] 95JHC1171 Carbolines. Part VII. Anisidins. convenient tools to synthesize hydroxy-d-carbolines.  
P. Rocca, F. Marsais, A. Godard and G. Queguiner, L. Adams, B. Alo  
J. Heterocycl. Chem. 32, 1171 (1995).
- [212] 95JHC841 On the metalation of 4 substituted pyridazines.  
A. Turck, N. Plé, L. Mojovic, B. Ndzi, G. Queguiner, N. Haider, H. Schuller, G. Heinisch  
J. Heterocycl. Chem 32, 841 (1995).
- [213] 95TL7085 New syntheses of the marine alkaloids eudistamines D and U.  
P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Tetrahedron Letters 36, n°39, 7085-88 (1995).
- [214] 95SC2901 Carbolines, part VI. First total synthesis of bauerine B and its demethyl analogue.  
P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Synthetic Communications 25 (19), 2901-2908 (1995).
- [215] 95T13045 Metallation of diazines XIV. First *o*-directed metallation of cinnolines. Metallation of 3-,4-chloro and 3-,4-methoxycinnolines.

A. Turck, N. Plé, V. Tallon and G. Queguiner  
Tetrahedron, vol. 51, n°47, 13045-13060 (1995).

[216] 95THC4 Reduction with non chiral and chiral biomimetic NADH models in the pyrido[2,3-b] indole series. New chiral NADH models carrying rigidified cyclized structures at the amide part.

V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon  
Trends in Heterocyclic Chemistry, 4 (1995).

[217] 96TA417 Diastereoselective alkylation of homochiral 1,2,3,4-tetrahydroisoquinolin-3-one. A potential route to enantiomerically Rve 4-substituted tetrahydroisoquinolines.

N. Philippe, V. Levacher, G. Dupas, J. Duflos, G. Queguiner and J. Bourguignon  
Tetrahedron Asym. 7, n°2, 417-420 (1996).

[218] 96JOM25 Metalation in connection with cross-coupling reactions. Capturing of hindered aryls for the synthesis of 4-phenylpyrrolines as part of streptonigrin and lavendamycin analogues.

A. Godard, P. Rocca, V. Pomel, L. Thomas-dit-Dumont, J.C. Rovera, J.F. Thaburet, F. Marsais et G. Queguiner  
Journal of Organometallic Chemistry, vol. 517, n°1-2, 25-36 (1996)

[219] 96CL359 Chiral NADH models in the pyrido[3,2-c] azepin series. Conformational effect of the carbonyl group in the stereocontrol of reductions.

J. Bedat, V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon  
Chemistry Letters, 359 (1996).

[220] 96T10417 Metalation of diazines XVII. Very hindered bases as new metalating agents, improvements of regioselectivity for the metalation of 3-chloro-6-methoxypyridazine.

L. Mojovic, A. Turck, N. Plé, M. Dorsy, B. Ndzi and G. Queguiner  
Tetrahedron, vol. 52, n° 31, 10417-10426 (1996)

[221] 96S838 A new route to aminodiazines via metalation reaction. Synthesis of an aza analogue of nevirapine. Diazines XV.

N. Plé, A. Turck, K. Couture, G. Queguiner  
Synthesis, n° 7, 838-839 (1996)

[222] 96THL6695 Pyridine hydrochloride : a new reagent for the synthesis of *o*-chlorohydroxy derivatives in pyridine and quinoline series.

F. Mongin, O. Mongin, F. Trécourt, A. Godard and G. Queguiner  
Tetrahedron Letters, vol. 37, n°37, 6695-6698 (1996)

[223] 96BSCB701 Efficient synthesis of organometallics of pyridines, quinolines and diazines. New synthetic methodologies for azaaromatic biomolecules.

G. Queguiner  
Bull. Soc. Chim. Belge, vol. 105, n° 10-11, 701-710 (1996)

[224] 96JHC1211 Synthesis and reduction of 2,3-diaryl-1-nitroethylenes by using a chiral and a non chiral NADH model in the pyrrolopyridine series.

V. Levacher, C. Valque, S. Coupa, G. Dupas, G. Queguiner  
J. Heterocyclic Chem., vol. 33, 1211 (1996)

- [225] 96JHC1995 Synthesis of new pyridine intermediate as precursors for the elaboration of streptonigrin analogues by the metalation-cross coupling strategy.  
V. Pomel, J.C. Rovera, A. Godard, F. Marsais and G. Queguiner  
J. Heterocyclic Chem., vol. 33, 1995 (1996)
- [226] 96CL359 NADH models in the pyrrolo (3,4-b) pyridine series. Role of the cyclized structure in the stereocontrol of the reduction.  
J. Bedat, V. Levacher, G. Dupas, J. Bourguignon and G. Queguiner  
Chem. Lett. 327 (1996)
- [227] 96T10441 Design and synthesis of a heterocyclic amine receptor.  
P. Charpentier, J.F. Brière, G. Dupas, G. Queguiner and J. Bourguignon  
Tetrahedron 52, 10441 (1996)
- [228] 96TA417 Diastereoselective alkylation of homochiral 1,2,3,4-tetrahydroisoquinolin-3 one. A potential route to enantiomerically pure 4-substituted tetrahydroisoquinolines.  
N. Philippe, V. Levacher, G. Dupas, J. Duflos, G. Queguiner and J. Bourguignon  
Tet. Asymm. 7, 417 (1996).
- [229] 96JOC1673 First synthesis of caerulomycin C  
F. Trécourt, B. Gervais, M. Mallet et G. Queguiner  
J. Org. Chem. 61, 1673 (1996)
- [230] 97T2871 First functionalization by metallation of the benzene moiety of quinazolines. Diazines XIX.  
N. Plé, A. Turck, V. Chapoulaud et G. Queguiner  
Tetrahedron, vol. 53, n°8, 2871-2890 (1997)
- [231] 97JHC551 Synthesis and metalation of trifluoromethylpyrimidines. Metalation of diazinesXVI.  
N. Plé, A. Turck, A. Heyndericks and G. Queguiner  
J. Het. Chem. 34, 551 (1997)
- [232] 97JHC621 Use of sulfur derivatives as an ortho-directing group for the metalation of diazines. Metalation of diazines. XVIII.  
A. Turck, N. Plé, P. Pollet, L. Mojovic, J. Duflos and G. Queguiner  
J. Het. Chem. 34,621 (1997)
- [233] 97THL6205 Pyridinium chloride : a new reagent for N-demethylation of N-methylazinium derivatives.  
A. Ruiz, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Tetrahedron Letters vol 38, n°35, 6205-6208 (1997)
- [234] 97 JHC 1205 A new synthesis of alpha-substituted delta-carbolines  
E. Arzel, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
J. Het. Chem. 34, 1205 (1997)
- [235] 97TA3309 Homochiral NADH models in the pyrrolo (2,3-b) pyridine series bearing one or two chiral auxiliaries. Asymmetric reduction of methyl benzoylformate and N-acetyl-

enamines. Influence of the magnesium salt concentration on the asymmetric induction of reductions.

C. Leroy, V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon  
Tetrahedron Asymmetry, vol 8, n°19, 3309-3318 (1997)

[236] 97LA2371 Synthesis and stereochemistry of some 1,3 dioxane. Diacetals of phtaldialdehyde.

I.Grosu, S. Mager, G. Plé, N. Plé, A. Toscano, E. Mesaros, R. Martinez  
Liebigs Annalen. 2371-2377 (1997)

[237] 97T2075 Regioselective reductions of various 3-aminosuccinimides. Application to the synthesis of two heterocyclic systems.

J.F. Brière, P. Charpentier, G. Dupas, G. Queguiner and J. Bourguignon  
Tetrahedron, vol. 53, n°6, 2075-2086 (1997)

[238] 97HCHROM145 Novel methods for identification and quantification of the mushroom Nephrotoxin oellanine. TLC and electrophoresis screening of mushroom with ESR determination of the toxin.

H. Oubrahim, J.M. Richard, D. Cantin-Esnaud, F. Seigle-Murandi, F. Trécourt  
J. Chromatography 758, 145 (1997)

[239] JHC1205 Carbolines : part X. A new synthesis of alpha-substituted beta-carbolines.

E Arzel, P. Rocca, A. Godard, F. Marsais and G. Queguiner  
J. Heterocycl. Chem. 34, 1205 (1997)

[240] 98T4899 Functionalization by metallation of fluoropyrazine. Diazine XXI.

N. Plé, A. Turck, A. Heyndericks and G. Queguiner  
Tetrahedron 54, 4899-4912 (1998)

[241] 98JFC429 Metalation of t-butyl sulfoxides, sulfones and sulfonamides of pyridazine and pyrazine. Metalation of Diazines XX.

A. Turck, N. Plé, P. Pollet and G. Queguiner  
J. Heterocycl. Chem. 35, 429-436 (1998)

[242] 98TL4013 An efficient synthesis of 3-cyanoquinoline derivatives.

P. Charpentier, V. Lobrégat, V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon  
Tetrahedron Letters 39, 4013-4016 (1998)

[243] 98T9701 First metalation of iodo diazines. Iodo and nitrogen directed metalations. Diazines XXII.

N. Plé, A. Turck, A. Heyndericks and G. Queguiner  
Tetrahedron 54, 9701-9710 (1998)

[244] 98H205 Organozinc derivatives of diazines. Metallation of diazines XXIII.

A. Turck, N. Plé, A. Gaquère and G. Queguiner  
Heterocycles, 49, 205-214 (1998)

[245] 98H2019 Selective thiophilic addition of alkyl and aryllithiums to dithioesters and a sulfine in the pyridine series.

C. Lempereur, N. Plé, A. Turck, G. Queguiner, F. Corbin, C. Alayrac, P. Metzner

Heterocycles 48, 2019-2034 (1998)

[246] 98H991 Some applications of the regioselective lithiation of beta-carbolines.  
C. Papamicaël, G. Dupas, G. Queguiner and J. Bourguignon  
Heterocycles 47, n°2, 991 (1998)

[247] 98TA2509 Deracemization of diarylmethanes via lateral lithiation protonation sequences by means of sparteine.  
L. Prat, L. Mojovic, V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon  
Tetrahedron Assymetry 9, 2509-2516 (1998)

[248] 98SYN New efficient conditions for the reduction with NADH models.  
J. L. Vasse, P. Charpentier, V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon  
Synlett 1144-1146 (1998)

[249] 98JOC2892 First syntheses of caerulomycin E and colimycins A and C. A new synthesis of caerulomycin A  
F. Trécourt, B. Gervais, O. Mongin, C. Le Gal, F. Mongin et G. Queguiner  
Journal of Organic Chemistry 63, 2892-2897 (1998)

[250] 98T8771 On the metallation of 2-isopropylpyridine  
E. Pasquinet, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Tetrahedron 54, 8771-8782 (1998)

[251] 98THL6465 First halogen dance reaction in quinoline series : application to a new synthesis of quindoline  
E. Arzel, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Tetrahedron Letters 39, 6465-6466 (1998)

[252] 98SYN1359 Preparation of highly functionalized pyridylmagnesium reagents for the synthesis of polyfunctional pyridines.  
L. Bérillon, A. Leprêtre, A. Turck, N. Plé, G. Queguiner, G. Cahiez and P. Knochel  
Synlett, 1359-1360 (1998)

[253] 98JCS3807 Quaternarization of the picolinic carbon. Application to the synthesis of pyridylalkanecarboxylic acids.  
E. Pasquinet, P. Rocca, A. Godard, F. Marsais and G. Queguiner  
J. Chem. Soc. Perkin Trans I, 1307 (1998)

[254] SEIE1091 Molecular modeling study of uranyl nitrate extraction with monoamides I. Quantum chemistry approach.  
C. Rabbe, C. Madic and A. Godard  
Solv. Eur. And Exch. 16(4), 1091 (1998)

[255] JCS3807 Quaternarization of the picolinic carbon. Application to the synthesis of pyridylalkanecarboxylic acids.  
A. Godard  
J. Chem. Soc. Perkin Trans I, 3807 (1998)

- [256] 98THL1665 The tert-butyl sulfoximine group as an effective o-director of lithiation : o-metallated S-(tert-butyl)-S-phenylsulfoximines.  
V. Levacher, B. Langer-Eriksen, M. Bergtrup, G. Dupas, G. Queguiner, J. Duflos and J. Bourguignon  
Tetrahedron Letters 40, 1665-1668 (1999)
- [257] 99THL4339 Pyridylmagnesium chlorides from bromo and dibromopyridines by bromine magnesium exchange. A convenient access to functionalized pyridines.  
F. Trécourt, G. Breton, V. Bonnet, F. Mongin, F. Marsais, G. Quéguine  
Tetrahedron Letters 40, 4339-4342 (1999)
- [258] 99T5389 Functionalization by metalation of the benzene moiety of benzodiazines. Determination of structures by Long-range  $^1\text{H}^{15}\text{N}$ . Correlation at natural abundance. Diazines XXV.  
V. Gautheron-Chapoulaud, I. Salliot, N. Plé, A. Turck et G. Queguiner  
Tetrahedron 55, 5389-5404 (1999)
- [259] 99H215 Synthesis of b-substituted and a,b-disubstituted d-carbolines using a halogen-dance reaction.  
E. Arzel, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Heterocycles, 50, 215-226 (1999)
- [260] 99T9269 First synthesis of (+-)-10beta hydroxy-13beta methylcyclohexa (a) quinolizidine. A convenient route to the ABC part of 8 azasteroids.  
S. Célanière, I. Salliot-Maire, P. Ribéreau, A. Godard and G. Queguiner  
Tetrahedron 55, 9269-9282 (1999)
- [261] 99THL5483 Directed lithiation of unprotected pyridinecarboxylic acids  
F. Mongin, F. Trécourt and G. Queguiner  
Tetrahedron Letters 40, 5483-86 (1999)
- [262] 99T12149 First total synthesis of cryptomisine  
E. Arzel, P. Rocca, F. Marsais, A. Godard and G. Queguiner  
Tetrahedron 55, 12149-12156 (1999)
- [263] 99THL9005 Synthesis of 4-(2-diphenylphosphino-1-naphtyl)-2-phenylquinazoline; a potential P-N chelating ligand for asymmetric catalysis.  
V. Gautheron- Chapoulaud, J. Audoux, N. Plé, A. Turck and G. Queguiner  
Tetrahedron Letters 40, 9005-9007 (1999)
- [264] 99 JHC1157 Synthesis of 4,5-disubstituted benzol (2,7)naphthyridines as precursors of pyridol (2,3,4-kl)acridones and related natural products.  
F. Guillier, F. Nivolières, A. Godard, F. Marsais and G. Queguiner  
J. Het. Chem 36, 1157-1165 (1999)
- [265] 99H Metalation of pyrazinethiocarboxamides. Metalation of diazines XXVI.  
C. Fruit, A. Turck, N. Plé, G. Queguiner  
Heterocycles 51, 10 (1999)

[266] 99JOC4512 Complete asymmetric induction by chiral sulfoxides in o-directed metalation. *Diazine XXIV*.

P. Pollet, A. Turck, N. Plé, G. Queguiner  
*J. Org. Chem.* 64, 4512-4515 (1999)

[267] 99SEIE87 Molecular modeling study of uranyl nitrate extraction with monoamides II. Molecular mechanics and lipophilicity calculations. Structure-activity relationship.

C. Rabbe, C. Madic and A. Godard  
*Solv. Extr. And Ion Exch.* 17(1), 87 (1999)

[268] 00T265 First study of syntheses and reactivity of Grignard compounds in the diazine series. *Diazines. Part 27*

A. Leprêtre, A. Turck, N. Plé, P. Knochel and G. Queguiner  
*Tetrahedron* 56, 265-273 (2000)

[269] 00T1349 New syntheses of substituted pyridines via bromine-magnesium exchange.

F. Trécourt, G. Breton, V. Bonnet, F. Mongin, F. Marsais and G. Queguiner  
*Tetrahedron* 56, 1349-60 (2000)

[270] 00JHET1 Efficient synthesis of organometallics of pyridines, quinolines and diazines : new synthesis methodologies for azaaromatic biomolecules.

G. Queguiner  
*J. Heterocyclic Chemistry* 37, 1 (2000)

[271] 00T5499 Synthesis of 4,8-diarylcinnolines and quinazolines with potential applications in nonlinear optics. *Diazines. Part 28*

V. Gautheron-Chapoulaud, N. Plé, A. Turck and G. Queguiner  
*Tetrahedron* 56, 5499-5507 (2000)

[272] 00T3709 Syntheses in the nitrogen pi-deficient heterocycles series using a Barbier type reaction under sonication. *Diazines. Part 29*

A. Leprêtre, A. Turck, N. Plé and G. Queguiner  
*Tetrahedron* 56, 3709-3715 (2000)

[273] T8679 Synthesis of heterocyclic amine and acid receptor

J.F. Brière, G. Dupas, G. Queguiner and J. Bourguignon  
*Tetrahedron* 56, 8679-8688 (2000)

[274] JCS4245 Reaction of magnesiated bases on substituted pyridines : deprotonation of 1,4-addition?

V. Bonnet, F. Mongin, F. Trécourt and G. Queguiner  
*J. Chem. Soc. Perkin Trans I*, 4245-4249 (2000)

[275] 00ACT000 Molécules polycycliques à activité biologique : nouvelle approche par voie organométallique.

A. Godard, F. Guillier, G. Duvey, M. Ibert, F. Nivoliens, F. Marsais et G. Queguiner  
*Act. Chim. Therap.* 26, 000 (2000)

[276] 01TL1871 New NADH models bearing a phosphonate or a chiral oxazaphospholidine oxide at the dihydropyridine ring.

J.L. Vasse, S. Goumain, V. Levacher, G. Dupas, G. Queguiner et J. Bourguignon  
Tetrahedron Letters 42, 1871-1873 (2001)

[277] 01JOC2654 First total synthesis of phenylpyridine analogues of the antimetabolic rhazinilam.

E. Pasquinet, P. Rocca, S. Richalot, F. Guéritte, D. Guénard, A. Godard, F. Marsais and G. Queguiner  
J. Org. Chem. 66, 2654-2661 (2001)

[278] 01CR21 TEMPO-mediated oxidation of maltodextrins and D-glucose : effect of pH on the selectivity and sequestering ability of the resulting polycarboxylates.

J.F. Thaburet, N. Merbouh, M. Ibert, F. Marsais and G. Queguiner  
Carbohydrate Research 330, 21-29 (2001)

[279] 01THL3571 Selective preparation of (Z)- and (E)- pro-1-enylamides from N-allylbenzamides.

P. Ribereau, M. Delamare, S. Célianire et G. Queguiner  
Tetrahedron Letters 42, 3571-3573 (2001)

[280] 01T5385 A convenient synthesis of 3,4-difunctionalized delta-carbolines.

C. Papamicael, G. Queguiner, J. Bourguignon and G. Dupas  
Tetrahedron 57, 5385-5391 (2001)

[281] 01THL5717 Preparation of polyfunctional pyridines by a palladium (0)-catalyzed cross-coupling of functionalized aryl Grignard reagents.

V. Bonnet, F. Mongin, F. Trécourt, G. Queguiner and P. Knochel  
Tetrahedron Letters 42, 5717-5719 (2001)

[282] 01JMC949 New synthesis of benzo d carbolines, cryptolepines and their salts : in vitro cytotoxic, antiplasmodial and antitrypanosomal activities of d carbolines, benzo d-carbolines and cryptopines.

E. Arzel, P. Rocca, P. Grellier, M. Labaeid, F. Frappier, F. Guéritte, C. Gaspard, F. Marsais, A. Godard and G. Queguiner  
J. Med. Chem. 44, 949 (2001)

[283] 01T9101 Chiral NADH models with restricted or blocked rotation at the amide function : attempts to interpret the mechanism of the enantioselective hydrogen transfer to methyl benzoylformate.

C. Vitry, J. Bedat, Y. Prigent, V. Levacher, G. Dupas, I. Salliot, G. Queguiner and J. Bourguignon  
Tetrahedron 57, 9101-9108 (2001)

[284] 01T9429 A new route to septorin via controlled metalations of pyrazines. Diazines XXX.

C. Fruit, A. Turck, N. Plé, L. Mojovic and G. Queguiner  
Tetrahedron 57, 9429-9435 (2001)

{285} 01JHC1039 Reactivity of 4-chlorobenzol (2,7)naphthyridines towards Pd(0) catalyzed coupling reactions and nucleophilic substitutions. Aroylation by Nucleophilic Substitution with Analogues of Acyl Anions.

G. Duvey, F. Nivoliers, P. Rocca, A. Godard, F. Marsais and G. Queguiner  
J. Het. Chem 38, 1039 (2001)

[286] 01T4059 Advances in the Directed Metalation of Azines and Diazines. Part 1. Metalation of Pyridines, Quinolines and Carbolines.

F. Mongin and G. Queguiner

Tetrahedron 57, 4059-4090 (2001)

[287] 01T4489 Advances in the Directed Metallation of Azines and Diazines. Part 2. Metalation of Pyrimidines, Pyrazines, Pyridazines and Benzodiazines.

A. Turck, N. Plé, F. Mongin, G. Queguiner

Tetrahedron 57, 4489-4505 (2001)

[288] 01T739 Selective fluorination by halogen exchange of chlorodiazines and chloropyridine promoted by the "proton sponge" triethylamine tris (HF) system.

M. Darabantu, F. Lequeux, J.P. Pommelet, N. Plé, A. Turck

Tetrahedron 57, 739-750 (2001)

[289] 01CJC1 O-directed metallation of pi-deficient heterocycles in connection with palladium catalysed biaryl cross-coupling. Synthesis of marine alkaloids of the pyridoacridine series.

A. Godard, P. Rocca, F. Guillier, G. Duvey, F. Nivoliers, F. Marsais and G. Queguiner

Can. J. Chem. 79, 1-8 (2001)

[290] 01CR75 Facile nitroxide-mediated oxidations of D-glucose to D-glutaric acid.

N. Merbouh, J. F. Thaburet, M. Ibert, F. Marsais and J. M. Bobbitt

Carbohydrate Research 336, 76-78 (2001)

[291] 01THL4413 Design of new axially chiral NADH mimics. Mechanistic investigation of the enantioselective hydride transfer.

J.L. Vasse, G. Dupas, J. Duflos, G. Queguiner, J. Bourguignon and V. Levacher

Tetrahedron Lett 42, 4613-16 (2001)

[292] 01THL4515 Deracemization of alkyl diarylmethanes using (-)-sparteine or a chiral proton source.

L. Prat, G. Dupas, J. Duflos, G. Queguiner, J. Bourguignon and V. Levacher

Tetrahedron Lett 42, 4515-18 (2001)

[293] 01TKL3713 Rational design of novel axially chiral NADH models based on configurational control of atropisomeric lactams.

L. Prat, G. Dupas, J. Duflos, G. Queguiner, J. Bourguignon and V. Levacher

Tetrahedron Lett 42, 3713-16 (2001)

[294] 01T3087 Stable annelated chiral NADH models with a rigidified amide part in the quinoline series : synthesis, reactivity and grafting on a Merrifield resin.

C. Vitry, J. L. Vasse, G. Dupas, V. Levacher, G. Queguiner and J. Bourguignon

Tetrahedron 57, 3087-98 (2001)

[295] 01THL216 Synthesis of a heterocyclic receptor for carboxylic acids.

G. Moore, V. Levacher, J. Bourguignon and G. Dupas

Tetrahedron Lett 42, 216-3 (2001)

[296] 02T58 New syntheses of orelline and analogues via metalation and cross-coupling reactions.

F. Mongin, F. Trécourt, O. Mongin, G. Queguiner  
Tetrahedron 58,309-314 (2002)

[297] 02THL767 Directed lithiation of unprotected quinoline carboxylic acids.

A.S. Rebstock, F. Mongin, F. Trécourt, G. Queguiner  
Tetrahedron Letters 43, 767-769 (2002)

[298] 02T283 Regioselective synthesis and metallation of fluoroiodopyrazines. Application to the synthesis of aryl and alkylbenzylpyrazines. Diazines. Part 31.

F. Toudic, N. Plé, A. Turck and G. Queguiner  
Tetrahedron 58, 283-293 (2002)

[299] 02THL1027 Acyl transfer of 8-acetoxy-2-oxazoliny quinoline assisted by hydrogen bonding formation .

L. Hortala, C. Moberg, V. Levacher, J. Bourguignon and G. Dupas  
Tetrahedron Lett 43, 6, 1027-1029 (2002)

[300] 02JOC3272 First synthesis of caerulomycin B. A new synthesis of caerulomycin C.

F. Mongin, F. Trécourt, B. Gervais, O. Mongin, G. Queguiner  
J. Org. Chem 67, 3272-3276 (2002)

[301] 02T2743 Syntheses and metelation of pyridazinecarboxamides and thiocarboxamides. Diazines. Part 32.

C. Fruit, A. Turck, N. Plé, L. Mojovic and G. Queguiner  
Tetrahedron 58, 2743-2753 (2002)

[302] 02S1008 Cross coupling between 3-pyridylmagnesium chlorides and heteroromatic halides.

V. Bonnet, F. Mongin, F. Trécourt, G. Breton, F. Marsais, P. Knochel and G. Queguiner  
Synlett 6, 1008-1010 (2002)

[303] 02T6723 Directed lithiation of unprotected pyridinecarboxylic acids : syntheses of halo derivatives.

J. Lazaar, A-S. Rebstock, F. Mongin, A. Godard, F. Trécourt, F. Marsais and G. Queguiner  
Tetrahedron 58, 6723-6728 (2002)

[304] 02T442 Syntheses of Substituted Pyridines, Quinolines and Diazines *via* Palladium-catalyzed Cross-coupling of Aryl Grignard Reagents.

V. Bonnet, F. Mongin, F. Trécourt, G. Queguiner, P. Knochel  
Tetrahedron, 58, 4429-4438 (2002)

[305] 02JHC1077 Syntheses of N-diazinyl thiocarboxamides and of thiazolodiazines. Metalation studies. Diazines XXXIII.

C. Fruit, A. Turck, N. Plé and G. Queguiner  
J. Het. Chem. 39, 1077 (2002)

- [306] 03JOC8991 Cross-coupling Reactions of Phenylmagnesium Halides with Fluoro Azines and Diazines.  
F. Mongin, L. Mojovic, B. Guillaumet, F. Trécourt, G. Queguiner  
J. Org. Chem. 67, 8991-8994 (2002)
- [307] 02CH1059 Determination of the side-products formed during the nitroxide-mediated bleach oxidation of glucose to glucaric acid.  
M. Ibert, F. Marsais, N. Merbouh, C. Brückner  
Carbohydrate Research, 337, 1059-1063 (2002)
- [308] 03TL2033 Tributylmagnesium ate complex-mediated bromine-magnesium exchange of bromoquinolines : a convenient access to functionalized quinolines.  
S. Dumouchel, F. Mongin, F. Trécourt and G. Queguiner  
Tetrahedron Letters 44, 2033-2035 (2003)
- [309] 03T4911 Chiral biomimetic NADH models in the benzo(6)-1,6 naphthyridine series. A novel class of stable, reactive and highly enantioselective NADH mimics.  
J.L. Vasse, V. Levacher, J. Bourguignon and G. Dupas  
Tetrahedron 59, 4911-1921 (2003)
- [310] 03THL3877 First cross coupling reactions of arylmagnesates : a convenient access to heteroarylquinolines.  
S. Dumouchel, F. Mongin, F. Trécourt, G. Queguiner  
Tetrahedron Letters 44, 3877-3880 (2003)
- [311] 03T4973 Synthesis and metallation of 2-(pyridyl)benzoic acids and ethyl 2-(pyridyl)-benzoates : a new route to azafluorenones.  
A.S. Rebstock, F. Mongin, F. Trécourt, G. Queguiner  
Tetrahedron 59, 4973-4977 (2003)
- [312] 03 T8629 Synthesis and reactivity of lithium tri(quinolinyl) magnesate.  
S. Dumouchel, F. Mongin, F. Trécourt, G. Queguiner  
Tetrahedron 59, 8629-8640 (2003)
- [313] 03T8049 Highly stereoselective Friedel Crafts type cyclization. Facile access to enantiopure 1,4-dihydro-1,4-dihydro-4-phenyl isoquinolinones.  
N. Philippe, F. Denivet, J. L. Vasse, J. Sopkova de Olivera Santos, V. Levacher and G. Dupas  
Tetrahedron, 59 (40), 8049-8056 (2003)
- [314] 03THL44 Tributylmagnesium ate complex-mediated bromine-magnesium exchange of bromoquinolines: a convenient access to functionalized quinolines.  
S. Dumouchel, F. Mongin, F. Trécourt, G. Queguiner  
Tetrahedron Lett. 44, 2033-2035 (2003)
- [315] 03OBM3064 Synthesis and deprotonation of 2-(pyridyl)phenols and 2-(pyridyl)anilines derivatives  
A. S. Rebstock, F. Mongin, F. Trécourt, G. Queguiner  
Org. Biomol. Chem. 1, 3064-3068 (2003)

- [316] 03TA2259 Selective access and full characterization of mono-acidic permethylated beta-cyclodextrin derivatives and their methyl esters  
S. Tisse, V. Agasse-Peulon, H. Oulyadi, F. Marsais, J. C. Combret  
Tetrahedron: Asymmetry, 14, 2259-2266 (2003)
- [317] 03JHC855 Relative Ortho-Directing Power of Fluorine, Chlorine and Methoxy Group for the Metalation in the Diazine Series. Diazines XXXV.  
F. Toudic, A. Turck, N. Plé, G. Queguiner, M. Darabantu, T. Lequeux, J. C. Pommelet  
J. Heterocycl. Chem. 40, 855-860 (2003)
- [318] 03T9583 Chiral ditopic receptors. Application to palladium-catalyzed allylic alkylation  
J. Bourguignon, U. Bremberg, G. Dupas, K. Hallman, L. Hagberg, L. Hortala, V. Levacher, S. Lutsenko, E. Macedo, C. Moberg, G. Queguiner, F. Rahm  
Tetrahedron, 59, 9583-9589 (2003).
- [319] 03JOM101 Flavanoid Derivatives as Organometallic Bioprobes.  
C. E. Anson, C. S. Creaser, A. V. Malkov, L. Mojovic, G. R. Stephenson  
J. Organometal. Chem., 668, 2003, 101-122.
- [320] 03OL3061 A Novel Traceless Solid-Phase Friedländer Synthesis  
C. Patteux, V. Levacher, G. Dupas  
Organic Letters, 5, 3061-3063 (2003).
- [321] 03JOC95117 Novel Extension of Meyers' Methodology: Stereoselective Construction of axially chiral 7,5-fused bicyclic Lactams.  
M. Penhoat, V. Levacher, G. Dupas  
J. Org. Chem. 68, 9517, 9520 (2003).
- [322] 04OBC291 Metallation of Pyridines and Quinolines in the Presence of a Remote Carboxylate Group. New Syntheses of Heterocyclic Quinones.  
A. S. Rebstock, F. Mongin, F. Trécourt, G. Queguiner  
Org. Biomol. Chem. 2, 291-295 (2004).
- [323] 04LOC93 Enantioselective Catalytic Phase Transfer Michael Addition of Methyl 4-Cyano-4-(3,4-Dichlorophenyl)Butanoates on Acrylates  
P. Cahn, V. Levacher, J Bourguignon, G. Dupas  
Letters in Organic Chemistry, 1, 93-98 (2004).
- [324] 04T2181 Regioselectivities in Deprotonation of 2-(4-chloro-2-pyridyl)benzoic Acid and Corresponding Ester and Amide. A New Synthesis of Onychine.  
A. S. Rebstock, F. Mongin, F. Trécourt, G. Queguiner  
Tetrahedron, 60, 2181-2186 (2004).
- [325] 04JOC2622 Lithiation of Fonctionalized Fluoroquinolines: Synthesis of Dihalo-2-phenylquinoline-4-carboxamides and *in vitro* Evaluation as NK-3 Receptor Ligands for Imaging Studies.  
I. Bennacef, S. Tymciu, M. Dhilly, F. Mongin, G. Queguiner, M. C. Lasne, C. Perrio, L. Barré  
J. Org. Chem., 69, 2622-25 (2004).

[326] 04T4107 First Fonctionnalisation by Metallation of the Pyridine Moeity of Pyridopyrimidin-4(3*H*)-ones. Diazines. Part 36.

J. Audoux, N. Plé, A. Turck, G. Queguiner  
Tetrahedron, 60, 4107-4123 (2004).

[327] 04T4197 Synthesis and Study of a Heterocycle Receptor designed for carboxylic acids.

G. Moore, C. Papamicael, V. Levacher, J. Bourguignon, G. Dupas  
Tetrahedron, 60, 19, 4197-4204 (2004).

[328] 04T5373 Synthesis of 4,5-diarylquinazolines: a System with Cofacial Aromatic Rings. Diazines. Part 39.

A. Busch, V. Gautheron-Chapoulaud, J. Audoux, N. Plé, A. Turck  
Tetrahedron, 60, 5373-5382 (2004).

[329] 04OL2101 A Facile and Mild Method for the Synthesis or Terminal Bromofluoroolefins via Diethylzinc-Promoted Wittig Reaction

X. Lei, G. Dutheuil, X. Pannecoucke, J. C. Quirion  
Organic Letters, Vol 6, No. 13, 2101-2104 (2004)

[330] 04THL6697 Deprotonation of Fluoro Aomatics Using Lithium Magnesates.

H. Awad, F. Mongin, F. Trécourt, G. Queguiner, F. Marsais, F. Blanco, B. Abarca, R. Ballesteros  
Tetrahedron Letters, 45, 6697-6701 (2004).

[331] 04TA3703 Chemoselective, accelerated and stereoselective aza-Michael addition of amines to *N*-phenylmaleimide by using TMEDA based receptors

Y. Bi, L. Bailly, F. Marsais, V. Levacher, C. Papamicaël, G. Dupas  
Tetrahedron: Asymmetry, 15, 3703-3706 (2004).

[332] 04TA3919 Preparation of axially chiral quinolinium salts related to NAD<sup>+</sup> models: new investigations of these biomimetic models as 'chiral amide-transferring agents'

S. Leleu, C. Papamicaël, F. Marsais, G. Dupas, V. Levacher  
Tetrahedron: Asymmetry, 15, 3919-3928 (2004).

[ ] 04JO0478196 Synthesis of Pyrazine alcaloids from *Botryllus leachi*, Diazines 43

F. Buron, N. Plé, A. Turck, G. Queguiner  
J. Org. Chem., (2004) on line

[ ] 04LOC Synthesis of Variuos Terphenyl Derivatives; Study of a New Amine Receptor with a Terphenyl Structure

P. Le Nahenec-Martel, S. Leleu, F. Marsais, C. Papamicael, V. Levacher, G. Dupas  
Lett. Org. Chem., 2, 172-175 (2004).

[ ] 04TL7873 Deprotonation of chloropyridines using lithium magnesates.

H. Awad, F. Mongin, F. Trécourt, G. Queguiner, F. Marsais  
Tetrahedron Letters, 45, 7873-7877 (2004)

[ ] 04TA2259 Selective access and full characterization of mono-acidic permethylated beta-cyclodextrin derivatives and their methyl esters

S. Tisse, V. Agasse-Peulon, H. Oulyadi, F. Marsais, J. C. Combret  
Tetrahedron: Asymmetry 14(15), 2259-2266 (2004)

[ ] 04JOC6766 Synthesis and Deprotonation of 2-(Halophenyl)pyridines and 1(Halophenyl)Disoquinolines  
F. Mongin, A. S. Rebstock, F. Trécourt, G. Queguiner, F. Marsais  
J. Org. Chem. 69, 6766 (2004)

[ ] 05T3245 On the deprotonation of 3,5-dichloropyridine using lithium bases: in situ infrared spectroscopic studies  
E. Weymeels, H. Awad, L. Bischoff, F. Mongin, F. Trécourt, G. Queguiner, F. Marsais  
Tetrahedron, 61 (13), 3245-3249 (2005)

[ ] 05S441 Preparation of 1,4-dihydroquinolines Bearing a Chiral Sulfoxide Group: New Highly Enantioselective Recyclable NADH Mimics  
S. Gaillard, C. Papamicael, F. Marsais, G. Dupas, V. Levacher  
Synlett 3, 441-444 (2005)

[ ] 05T4569 Efficient and fast Heck vinylation of 2-bromo-6 methyl pyridines with methylacrylate. Application to the synthesis of 6-methyl cyclopenta[*b*]pyridinone  
N. Robert, C. Hoarau, S. Célanire, P. Ribéreau, A. Godard, G. Queguiner, F. Marsais  
Tetrahedron, 61, 4569-4576 (2005).

[ ] 05JCC414 Solid-Phase Syntheses of 6-Arylpiperidin-3(2*H*)-Ones  
R. Salives, G. Dupas, N. Plé, G. Queguiner, A. Turck, P. George, M. Sevrin, J. Frost, A. Almario, A. Li  
J. Comb. Chem. 7, 414-420 (2005).

[ ] 05THL3811 'One-pot' four-step synthesis of Cerpegin  
J. Lazaar, C. Hoarau, F. Mongin, F. Trécourt, A. Godard, G. Queguiner, F. Marsais  
Tetrahedron Letters 46, 3811-3812 (2005).

[ ] 05CL912 NMR Study of the Amide Bond Formation Using a Heterocyclic Amine and Acid Receptor.  
E. Condamine, G. Moore, F. Marsais, G. Dupas, C. Papamicael, V. Levacher  
Chemistry Letters, (2005), 7, 912-913

[ ] 05JACS7680 Selective inhibition of Factor Inhibiting Hypoxia-Inducible Factor.  
Michael A. McDonough, Luke A. McNeill, Melanie Tilliet, Cyril Papamicaël, Qiu-Yun Chen, Biswadip Banerji, Kirsty S. Hewitson, Christopher J. Schofield  
Journal of the American Chemical Society, (2005), 127, 7680-7681.

[ ] 05T4779 Deprotonation of thiophenes using lithium magnesiates  
O. Bayh, H. Awad, F. Mongin, C. Hoarau, F. Trécourt, G. Queguiner, F. Marçais, F. Blanco, B. Abarca, R. Ballesteros  
Tetrahedron, 61, 4779-4784 (2005).

[ ] 05T8138 *ortho*-Lithiation of *S*-*tert*-butyl-*S*-phenylsulfoximines. New route to enantiopure sulfinamides via a *de-tert*-butylation reaction  
S. Gaillard, C. Papamicaël, G. Dupas, F. Marsais, V. Levacher

Tetrahedron, 61, 34, 8138-8147 (2005).

[ ] 05T8924 Metalation of Sulfoxides in the Benzodiazines Series. Diazines. Part 44.  
N. Le Fur, L. Mojovic, N. Plé, A. Turck, F. Marsais  
Tetrahedron, 61, 8924-8931 (2005).

[ ] 05SYN2285 Single-Step Preparation of a 4-(Dimethylamino)pyridine Analogue  
Bearing a Sulfoxide as New Chiral Inducer. Preliminary Evaluation as Nucleophilic Catalyst  
T. Poisson, M. Penhoat, C. Papamicaël, G. Dupas, V. Dalla, F. Marsais, V. Levacher  
Synlett, N°15, 2285-2288 (2005)

[ ] 05T2897 Synthesis of new polyaza heterocycles. Part 42: Diazines.  
M. Darabantu, L. Bouilly, A. Turck, N. Plé  
Tetrahedron, 61 2897-2905 (2005).

[ ] 05T9637 Metallation of pyridin-2-yl diazines. Use of pyridine ring as ortho-directing  
group. Diazines. Part 45.  
C. Berghian, M. Darabantu, A. Turck, N. Plé  
Tetrahedron, 61, 9637-9644 (2005).

[ ] 05SYN2808 Selective Tetrahydropyranation under Non-Acidic Conditions  
R. Azzouz, L. Bischoff, M. H. Fouquet, F. Marsais  
Synlett, 18, 2808-2810 (2005).

[ ] 05TL8385 Meyer's bicyclic lactam formation under mild and highly stereoselective  
conditions.  
M. Penhoat, S. Leleu, G. Dupas, C. Papamicaël, F. Marsais, V. Levacher  
Tetrahedron Letters, 46 (48), 8385-8389 (2005).

[ ] 05JACS15668 Amine Capture Strategy for Peptide Bond Formation by Means of  
Quinolinium Salts.  
S. Leleu, M. Penhoat, A. Bouet, G. Dupas, C. Papamicaël, F. Marsais, V. Levacher  
Journal of American Society Chemistry, 127 (45), 15668-15669 (2005)

[ ] 05TA3484 Sulfonimidamides as new chiral iminoiodinane precursors for  
diastereoselective dirhodium-catalyzed aziridination of olefins.  
C. Fruit, P. Müller, P. Dauban, F. Robert-Peillard, R. H. Dodd  
Tetrahedron: Asymmetry, 16 (21), 3484-3487 (2005)

[ ] 05TL8573 Regioselective palladium-catalysed phenylation of ethyl 4-  
oxazolecarboxylate  
C. Hoarau, A. Du Fou de Kerdaniel, A. Bouet, N. Breacq, P. Grandclaoudon, A. Couture, F.  
Marsais  
Tetrahedron Letters, 61, 8573-8577 (2005)

[ ] 05TL7989 Deprotonation of furans using lithium magnesiates  
F. Mongin, A. Bucher, J. P. Bazureau, O. Bayh, H. Awad, F. Trécourt  
Tetrahedron Letters, 46, 7989-7992 (2005)

[ ] 05JOC1911 A Novel Diastereoselective Synthesis of (Z)-fluoroalkenes via a Nozaki-Hiyama-Kishi Type Reaction.

G. Dutheil, X. Lei, X. Pannecoucke, J.C. Quirion  
J. Org. Chem., 70, 1911-1914 (2005)

[ ] 05S2627 Addition of Ethyl Bromodifluoroacetate to Lactones: Reactivity and Stereoselectivity.

A. B. Cuenca, F. D'Hooge, V. Gouge, G. Castelot-Deliantcourt, H. Oulyadi, E. Leclerc, P. Jubault, X. Pannecoucke, J. C. Quirion  
Synlett, 2627-30 (2005)

[ ] 05TA2455 Asymmetric Hydrogenation of Enamides with a New Chiral Phosphine-Phosphinite Ligand

N. Boyer, M. Léautey, P. Jubault, X. Pannecoucke, J. C. Quirion  
Tetrahedron: Asymmetry, 16 (14) 2455-58 (2005)

[ ] 05S1853 Regio- and Diastereoselective Synthesis of a Primary Beta-Azidoalcohol via Stereoselective Epoxidation of a Highly Functionnalised di-o,o' Substituted Styrene: Toward a New Total Synthesis of (-)-Quinocarcin.

U. Schneider, X. Pannecoucke, J. C. Quirion  
Synlett, 1853-56 (2005)

[ ] 05JPS New Synthesis of cis-tert-butyl-L-proline via cuprate. Evaluation as a cis praline mimetic in a biological active octapeptide.

C. Aubry, H. Oulyadi, G. Dutheil, J. Leprince, H. Vaudry, X. Pannecoucke, J. C. Quirion  
J. Peptide Science, (sous presse) 2005

[ ] 05EPA32 Method for manufacturing optically active coumaryl amino acid salts.

C. Garbay, L. Bischoff, M. P. Brun  
Eur. Pat. Appl. 32 pp (2005)

[ ] 05JHC509 Metalation of bromodiazines. Diazines 40.

L. Decrane, N. Plé, A. Turck  
J. Heterocycl. Chem., 42, 509-513 (2005)

[ ] 05JOC2616 Synthesis and Pyrazine Alcaloids from Botryllus leachi. Diazines 43.

F. Buron, N. Plé, A. Turck, G. Queguiner  
J. Org. Chem.70, 2616-21 (2005)

[ ] 05 Aryl-Aryl Bonds Formation in Pyridine and Diazines Series. Diazines 41.

L. Bouilly, M. Darabantu, A. Turck, N. Plé  
J. Heterocyclic Chem. (2005) under press

## **PUBLICATIONS (Articles de synthèse, mise au point)**

91THC127 New Free and grafted, more stable NADH models for chemo and enantioselective reductions

G. Dupas, J. Duflos, J. Bourguignon and G. Queguiner.

Trends in Heterocyclic Chemistry, 2, 127-141 (1991)

93THC19 New methodology for functionalization of pi-deficient heterocycles. Metalation of pyridines and diazines. Connection with palladium catalyzed cross-coupling reactions.

A. Godard, A. Turck, N. Plé, F. Marsais et G. Queguiner.

Trends in Heterocyclic Chemistry, 3, 19-29 (1993).

94H405 Chiral NADH models derived from optically active amino alcohols.

G. Dupas, V. Levacher, J. Bourguignon and G. Queguiner

Heterocycles 39, 405 (1994)

95THC293 Reduction with non chiral and chiral biomimetic NADH models carrying rigidified cyclized structure at the amide part.

V. Levacher, G. Dupas, G. Queguiner and J. Bourguignon

Trends in Heterocyclic Chemistry 4, 293 (1995)

95H1055 Connection between metalation of azines and diazines and cross coupling strategies for the synthesis of natural and biologically active molecules.

A. Godard, F. Marsais, N. Plé, F. Trécourt, A. Turck and G. Queguiner

Heterocycles, 40, 1055 (1995).

01T4059 Advances in the directed metallation of azines and diazines (pyridines, pyrimidines, pyrazines, pyridazines, quinolines, benzodiazines and carbolines). Part 1: metallation of pyridines, quinolines and carbolines.

F. Mongin and G. Queguiner

Tetrahedron 57, 4059-4090 (2001)

01T4489 Advances in the directed metallation of azines and diazines (pyridines, pyrimidines, pyrazines, pyridazines, quinolines, benzodiazines and carbolines). Part 2: metallation of pyrimidines, pyrazines, pyridazines and benzodiazines.

A. Turck, N. Plé, F. Mongin and G. Queguiner

Tetrahedron 57, 4489-4505 (2001)

## **OUVRAGES**

91AHC187 Directed ortho metalation of pi-deficient Azaaromatics  
F. Marsais, G. Queguiner, V. Snieckus and J. Epszajn  
Adv. Heterocyclic. Chemistry, 52, 187-304 (1991)